

## REMARKS

Examiner S. Staicovici is thanked for the thorough examination and search of the subject Patent Application. Claims 1-12 have been amended and new Claims 13-19 have been added. No new matter has been added.

All Claims are believed to be in condition for Allowance, and that is so requested.

The Abstract has been amended as required by the Examiner. The claims have been amended to improve their form and wording.

Reconsideration of the rejection under 35 U.S.C. 103 of Claims 1-12 as being unpatentable over Freeman in view of Robin et al and in further view of Azzani et al is requested in accordance with the following remarks.

Freeman's process begins by placing fibrous material along the inner wall of the mold. The material may be a single layer or a preshaped piece. More than one piece may be required if the area is exceptionally deep as illustrated in Fig. 3 where pieces 28, 30, and 32 are overlapping at their edges (col. 2, lines 21-30). However, there is no teaching or suggestion of Applicant's process of laying up a plurality of layers of composite fabric where each layer is compacted, as claimed in section (a) of claims 1 and 8 and as described on page 5 of the Specification. Fig. 4 shows the layers 30 being built up on the entire frame. Neither of the other references teaches or

suggests laying up a plurality of layers of composite fabric within a mold and compacting each layer by applying vacuum.

While it is agreed that Robin et al's nylon sheath could be used as the inflatable bladder of Freeman, none of the references teach or suggest having the nylon tubes extending out at each corner of the mold, as claimed in section (b) of claims 1 and 8 of Applicant's invention. This aspect of Applicant's invention allows the nylon tubes to be withdrawn after they are used, as claimed in section (d) of claims 1 and 8. Freeman does state in col. 3, lines 8-10, that the bladder may be removed or left in place desired. However, there is no suggestion of how the bladder may be removed. There is no suggestion in Robin et al that the nylon sheath be removed.

Thus, Applicant's invention is not considered to be obvious over the combination of Freeman, Robin et al, and Azzani et al, at least because the combination does not teach or suggest laying up a plurality of composite material wherein each layer is compacted, prior to closing the mold and inflating the nylon tube. Furthermore, the combination of references does not teach or suggest having the nylon tubes extending out from openings at each corner of the mold and being removed by pulling the tubes out through the openings after fabrication of the door frame is completed.

Reconsideration of the rejection under 35 U.S.C. 103 of Claims 1-12 as being unpatentable over Freeman in view of Robin et al and in further view of Azzani et al is requested in accordance with the remarks above.

Allowance of all Claims is requested.

It is requested that should Examiner Staicovici not find that the Claims are now Allowable that the Examiner call the undersigned at 765 4530866 to overcome any problems preventing allowance.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Rosemary L. S. Pike".

Rosemary L. S. Pike. Reg # 39,332